

OWNER'S MANUAL

FIG0.186 Tc (M) TD -0.0U2 TTD 068Tj0.0L4 Tc (-0.0

! " # \$ % & ' # % () * + , - . / 0 1 # 2 + - . / 3 4 5 6 # 7 8 9 : ;
< = > ? @ A . B C D E F G / H I J K L ! " M N * + >

! " ? @ O P Q R S T 3 4 # U ? V W Q R X Y Z 4 > [\] ' ^ _ ` ! " a b
5 6 c Q R a b 5 6 d \] a b 5 6 > \ a] \$ e f 4 1 5 W # g h \] ? i 6 0 j k l
/ \ m g n > g h \] o p q / r s % t u v ? w x 2 4 0 h >

1.0 / 0 1 2 & ' () 3 4 5 6 7

I

1.18935\$%:

J : ; T5J eqwx 70 OK# h\ a] HKLMNOO#PKQOOpq\
] 7RdQp>

, 4Q 65NCSNONTCĐc:ed(-y,ĐD@TjYVzF^B,k 4'1'U1YĐ'•UŠ*1C7;Y 2æB U±mDÉ-7iAĐc-

O TO

50p172410125T#82ff120E062053P0Jj 05541122Tff 20DE

S@31000350 Df 02/ Z 5} OTIT DE 57 F 21 22OT f 7 D5 201 2DTD10 YTD

4.0` abc:

de

7.0